


**SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**
**TRADE NAME:** DSL-5®/DIESEL FUEL ADDITIVE

**DATE:** 2 June 2013

**SUPERSEDES DATE:** 15 May 2013

**REVISION #:** 4.1.1

**MANUFACTURER:** ENERGY ADDITIVES, INC.

**ADDRESS:** 117 Lillie Ave.  
Battle Creek, MI, USA 49015

**24/7 EMERGENCY PHONE:** INFOTRAC 800-535-5053 Call collect internationally 352-323-3500

**24/7 HEALTH EMERGENCIES:** 800-222-1222 National Poison Control Center

**SECTION 2 - HAZARDS IDENTIFICATION**
**EMERGENCY OVERVIEW:** WARNING! FLAMMABLE/COMBUSTIBLE

**GHS:**
**GHS SIGNAL WORD:** DANGER

Keep away from ignition sources. Keep out of reach of children.

The product may be harmful if it is inhaled or swallowed. Avoid contact with eyes.

**POTENTIAL HEALTH EFFECTS:**
**CODE OF HAZARD STATEMENTS:**

Physical hazards

H226, Flammable liquid and vapor

Health Hazards

H304, May be fatal if swallowed and enters airways.

H312, Harmful in contact with skin.

H315, Causes skin irritation.

H320, Causes eye irritation.

H333, May be harmful if inhaled.

H336, May cause drowsiness or dizziness.

Environmental hazards

H402, Harmful to aquatic life.

**CODE OF PRECAUTIONARY STATEMENTS:**

General

P101, Keep out of reach of children.

P103, Read label before use.

Prevention

P210, Keep away from heat/sparks/open flames/hot surfaces. NO SMOKING.

P233, Keep container tightly closed.

P234, Keep only in original container.

P242, Use only non-sparking tools.

P261, Avoid breathing fume/gas/mist/vapor spray.

P262 Do not get in eyes, on skin or on clothing.

P264, Wash thoroughly after handling.

P270, Do not eat, drink or smoke when using this product.

P280, Wear protective gloves/protective clothing/eye protection/face protection.

Response

P312, Call a POISON CENTER or doctor/physician if you feel unwell.

P331, DO NOT induce vomiting.

P340, Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P352, Wash with plenty of soap and water.

P362, Take off contaminated clothing and wash before reuse.

P381, Eliminate all ignition sources if safe to do so.

Storage

P403, Store in a well-ventilated area.

P412, Do not expose to temperatures exceeding 50 °C/122 °F.

**ROUTES OF ENTRY:** Eye contact, skin adsorption, ingestion and inhalation.

**CARCINOGENICITY:** Naphthalene and Prop. C are listed by NTP or IARC.

**SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS**

| CHEMICAL NAME                                | CAS NUMBER | EINECS #  | %       | REACH Reg. # |
|--|------------|-----------|---------|--------------|
| Petroleum distillate/<br>hydro treated light | 64742-478  | 265-191-7 | < 35-55 | Yes          |
| Solvent naphtha heavy aromatic               | 64742-94-5 | 265-198-5 | < 10-30 | Yes          |
| Prop. A                                      | Prop.      | Prop.     | < 15-25 | Yes          |
| Prop. B                                      | Prop.      | Prop.     | < 3-7   | Yes          |
| Prop. C                                      | Prop.      | Prop.     | < 1-3   | No           |
| Naphthalene                                  | 91-20-3    | 202-049-5 | < 1-2   | Yes          |

**SECTION 4 - FIRST AID MEASURES**

**INHALATION:** Move to fresh air free from risk of further exposure. If person not breathing call 9-1-1, then apply rescue breathing. Seek medical attention as soon as possible.

**EYE CONTACT:** Flush with clean, lukewarm water raising upper and lower eyelids at low pressure for 15 minutes. Remove contact lenses, if present, after the first five minutes and continue to rinse the eyes. Seek medical attention if no relief.

**SKIN CONTACT:** Rinse area with clean water for 15-20 minutes. Call poison control center or doctor for treatment advice.

**INGESTION:** Call a poison control center or doctor immediately for treatment advice. DO NOT INDUCE VOMITING. Lower the head when person is vomiting to minimize entry into throat and lungs.

**SECTION 5 - FIREFIGHTING MEASURES**

**FLASHPOINT AND METHOD:** 109°F (42.7 °C)

**FLAMMABLE LIMITS:** LEL = 1.0 UEL = 6.0

**EXTINGUISHING METHOD:** Use dry chemicals, carbon dioxide and foam.

**FIRE OR EXPLOSION HAZARDS:** This material under complete combustion will form oxides of carbon and nitrogen.

**SPECIAL FIREFIGHTING PROCEDURES:** Keep upwind of fire. Full emergency equipment with self-contained breathing apparatus and full protective clothing to be worn by firefighters.

**SECTION 6 - ACCIDENTAL RELEASE MEASURES**

**SPILL OR LEAK PROCEDURES:** Wear PPE product is flammable. Keep away from sources of ignition. Avoid breathing vapor or mist. Isolate the area and prevent material from getting into waterways.

Absorb with vermiculite, sand or other inert absorbent and place the collected material in a closed container.

Use non-sparking tools.

Finish cleaning the area with small amounts of soap and water on the spill area.

**SECTION 7 - HANDLING AND STORAGE**

**STORAGE TEMPERATURE:** Keep containers tightly and keep in cool dry area. Provide a cool well-ventilated area.

**SPECIAL SENSITIVITY:** Avoid contact with skin and eyes, wear PPE in section 8.

**HANDLING AND STORAGE PRECAUTIONS:** Avoid breathing the Vapor or mist. Use normal safety procedures and good personal hygiene. Wash thoroughly after use and before eating, drinking, chewing gum or using tobacco.

**SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION**

**EYE PROTECTION:** Use safety glasses or goggles, there is potential for Vapor or mist exposure to cause severe injury to the eyes.

**SKIN PROTECTION:** Wear chemical resistant glove (Nitrile.) Wear long sleeve shirts, long pants and shoes and socks.

**RESPIRATORY PROTECTION:** Wear respirator if the airborne conditions result in an aerosol forming.

**OCCUPATIONAL EXPOSURE LIMITS OSHA PEL TWA:** Petroleum distillates, 400 ppm; Prop. B, 50 ppm; Prop. C, 100 ppm; and Naphthalene, 10 ppm

**ENGINEERING CONTROLS:** Provide adequate ventilation when product is used. Eyewash and shower should be provided in mixing and loading areas.

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

**PHYSICAL FORM:** Liquid. **COLOR:** Blue  
**ODOR:** Solvent odor. **pH:** NA  
**SOLUBILITY IN WATER:** Not Soluble **FLASH POINT:** 109 °F (42.7 °C)  
**VOLATILE ORGANIC CONTENT (VOC):** 90% **SOLUBILITY (WATER):** Not soluble.  
**SPECIFIC GRAVITY (water=1):** 0.8019 @ 68 °F (20 °C)  
**BOILING POINT:** 318-356 °F (159-180 °C)

**SECTION 10 - REACTIVITY**

**STABILITY:** This product is stable material under normal conditions of storage and handling.  
**HAZARDOUS POLYMERIZATION:** Will not occur.  
**CONDITIONS TO AVOID:** Ignition sources.  
**INCOMPATIBLES:** Avoid strong oxidizing agents, acids and bases, and selected amines.  
**DECOMPOSITION PRODUCTS:** Product will burn and the products of complete combustion are oxides of carbon and nitrogen.

**SECTION 11 - TOXICOLOGICAL/ECOLOGICAL INFORMATION**

Oral LD<sub>50</sub> (rat) = 813 mg/kg LC<sub>50</sub> (rat) = 700 mg/L (4-hr test)  
 The significant routes of exposure are eyes, skin, ingestion and inhalation.

**SECTION 12 - DISPOSAL CONSIDERATIONS**

**WASTE DISPOSAL METHOD:** This material is a liquid, wear PPE as outlined in Section VIII. Dispose according to the regulations of local, state and Federal regulatory agencies.

**SECTION 13 - TRANSPORTATION INFORMATION****US DOT (ground) SHIPPING DESCRIPTION:**

UN1268, Petroleum distillates, N.O.S., (Petroleum distillates, Solvent naphtha heavy aromatic), 3, III

**IATA (air) SHIPPING DESCRIPTION: CARGO AIRCRAFT ONLY**

UN1268, Petroleum distillates, N.O.S., (Petroleum distillates, Solvent naphtha heavy aromatic), 3, III  
 Use packing instruction 310, container capacity is 58.15 gallons (220 liters)

**IMO (water) SHIPPING DESCRIPTION:**

UN1268, Petroleum distillates, N.O.S., (Petroleum distillates, Solvent naphtha heavy aromatic), 3, III  
 Use packing instructions P001 and LP01.

**SECTION 14 - REGULATORY INFORMATION**

**OSHA STATUS:** Flammable

**UN Number:** 1268

**Hazard Class:** 3

**TSCA STATUS:** Petroleum distillates.

**CERCLA REPORTABLE QUANTITY:** Naphthalene, 100 lbs.\ (220 kgs)

**CALIFORNIA PROPOSITION 65:** Naphthalene, cancer.

**RCRA STATUS:** Not regulated under RCRA

**SARA 311/312 HAZARD NOTIFICATION/REPORTING**

**IMMEDIATE** Y **FIRE** Y **SUDDEN RELEASE OF PRESSURE** N

**DELAYED** Y **REACTIVE** N

**SARA TITLE III:** None.

**SECTION 302 EXTREMELY HAZARDOUS:** None.

**SECTION 311/312 HAZARD CATEGORIES:** None.

**SECTION 313 TOXIC CHEMICALS:** Naphthalene and Prop.C.

**RIGHT TO KNOW;** Prop. C, are listed in MA, PA and NJ.

**WHMIS:** Class B3  Class D-2A 

**EUROPEAN COMMUNITY:**   

**SECTION 15 – OTHER INFORMATION/APPROVALS**

National Fire Protection Association (NFPA)  
 NFPA

Hazardous Materials Identification System (HMIS)  
 HMIS

|          |          |   |        |
|----------|----------|---|--------|
| 0 Least  | 1 Slight | 1 | Health |
| 1 Health |          |   |        |

|   |                         |   |              |
|---|-------------------------|---|--------------|
| 2 | Flammability 2 Moderate | 2 | Flammability |
| 0 | Instability             | 3 | High         |
|   |                         | 4 | Severe       |
|   |                         | H | PPE          |

|   |
|---|
| <b>SECTION 16 – ABBREVIATIONS /DISCLAIMER</b> |
|---|

**REASON FOR ISSUE:** Addition to Section 14, UN number and hazard class.

**APPROVAL DATE:** 3 June 2013

**PREPARED BY:** Dennis Belau

[DBelau@comcast.net](mailto:DBelau@comcast.net)

**REVIEWED BY** Lloyd Lack

**ABBREVIATIONS:**

|                  |  |                  |  |
|------------------|--|------------------|--|
| CAS #            | Chemical Abstract Service Number   | EINECS           | European Inventory of existing Commercial Chemical Sales |
| °C               | Celsius temperature scale  | °F               | Fahrenheit temperature scale                             |
| Prop.            | Proprietary  | PE               | Personal Protective Equipment                            |
| TLV              | Threshold Limit Value  | TWA              | Time Weighted Average                                    |
| STEL             | Short-term Exposure Limit  | PEL              | Permissible Exposure Limit                               |
| OSHA             | Occupational Safety & Health   | NIOSH            | National Institute of Safety & Health                    |
| NFPA             | National Fire Protection Agency  | WHMIS            | Workplace Hazardous Materials Information System         |
| NTP              | National Toxicology Program  | IARC             | Int. Agency for Research on Cancer                       |
| RCRA             | Resource Conservation Recovery ACT   | TSCA             | Toxic Substance Control Act                              |
| EC <sub>50</sub> | Effective Dose   | LC <sub>50</sub> | Lethal Concentration                                     |
| LD <sub>50</sub> | Lethal Dose  | CAS              | Chemical Abstract Service Number                         |
| LEL              | Lower explosive limit  | UEL              | Upper explosive limit Number                             |
| NDA              | No Data Available  | NE               | None established   |
| ND               | Not determined   | ≤                | Less Than or Equal To                                    |
| NA               | Not Applicable   | CNS              | Central Nervous System                                   |
| ≥                | Greater Than or Equal To   | DSL              | Canada   |
| CI               | China  | EEC              | European Economic Commission                             |
| ECL              | Korean Existing Chemicals List   | EU               | European Union   |
| ENCS             | Japanese Existing and New Chemical List  | MAC              | Netherlands  |
| MAK              | Germany  | MITI             | Japan  |
| PICCS            | Philippines  | SWISS            | Giftliste 1  |
| UK               | United Kingdom   | USA              | United States  |
| VOC              | Volatile organic content   |                  |  |
| ACGIH            | American Conference of Government Industrial Hygienists  |                  |  |
| SARA             | Superfund Amendments and Reauthorization Act   |                  |  |
| AICS             | Australian Inventory of Chemical Substances  |                  |  |
| IARC             | International Agency for Research on Cancer  |                  |  |
| Taiwan           | List of Toxic Chemical Substances regulated under Taiwan Toxic Chemical Substances Control Act of 1086 |                  |  |

***Disclaimer: This information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Energy Additives, Inc. be liable for any claims, losses or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, how so ever arising, even if company has been advised of the possibility of such damages***